






P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT




CHEMIN DE CÂBLES TÔLE PERFORÉE MÂLE FEMELLE À VISSER
PERFORATED CABLE TRAYS MALE FEMALE TO SCREW




P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT

Référence(s): **480044/45/46/47/50/51**
Item(s): **485048/49**
482144/45/46/47
485248/49
482050/51

1. GAMME/RANGE
GS, GCI/ PG, HDG



<->	<->	<->	<->	<->	<->	<->
50	75	100	150	200	300/400	500
Plat	Plat	Plat	Plat	Embouti	Embouti	Embouti
Flat	Flat	Flat	Flat	Embossing	Embossing	Embossing



P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT

Référence(s): **480044/45/46/47/50/51**
Item(s): **485048/49**
482144/45/46/47
485248/49
482050/51

CHEMIN DE CÂBLES TÔLE PERFORÉE MÂLE FEMELLE À VISSER GS 3M (3000mm + 30mm)
PERFORATED CABLE TRAYS MALE FEMALE TO SCREW PG 3M (3000mm + 30mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M M/F 25X50 GS P31-TRAY PERF 3M M/F 25X50 PG	480044	1,68		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	1225
P31-DALLE 3M M/F 25X75 GS P31-TRAY PERF 3M M/F 25X75 PG	480045	1,99		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	1938
P31-DALLE 3M M/F 25X100 GS P31-TRAY PERF 3M M/F 25X100 PG	480046	2,32		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	2545
P31-DALLE 3M M/F 25X150 GS P31-TRAY PERF 3M M/F 25X150 PG	480047	2,95		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	3865
P31-DALLE EMB 3M M/F 25X200 GS P31-TRAY PERF EMB 3M M/F 25X200 PG	485048	3,65		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5185
P31-DALLE EMB 3M M/F 25X300 GS P31-TRAY PERF EMB 3M M/F 25X300 PG	485049	4,95		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	7825
P31-DALLE EMB 3M M/F 25X400 GS P31-TRAY PERF EMB 3M M/F 25X400 PG	480050	9,35		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	10465
P31-DALLE EMB 3M M/F 25X500 GS P31-TRAY PERF EMB 3M M/F 25X500 PG	480051	11,31		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	13105

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

CHEMIN DE CÂBLES TÔLE PERFORÉE MÂLE FEMELLE À VISSER GC 3M (3000mm + 30mm)
PERFORATED CABLE TRAYS MALE FEMALE TO SCREW HDG 3M (3000mm + 30mm)


Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M M/F 25X50 GC P31-TRAY PERF 3M M/F 25X50 HDG	482144	1,85		DC 01	EN 10130	GC/HDG/C	ISO 1461	1225
P31-DALLE 3M M/F 25X75 GC P31-TRAY PERF 3M M/F 25X75 HDG	482145	2,18		DC 01	EN 10130	GC/HDG/C	ISO 1461	1938
P31-DALLE 3M M/F 25X100 GC P31-TRAY PERF 3M M/F 25X100 HDG	482146	2,55		DC 01	EN 10130	GC/HDG/C	ISO 1461	2545
P31-DALLE 3M M/F 25X150 GC P31-TRAY PERF 3M M/F 25X150 HDG	482147	3,25		DC 01	EN 10130	GC/HDG/C	ISO 1461	3865
P31-DALLE EMB 3M M/F 25X200 GC P31-TRAY PERF EMB 3M M/F 25X200 HDG	485248	4,02		DC 01	EN 10130	GC/HDG/C	ISO 1461	5185
P31-DALLE EMB 3M M/F 25X300 GC P31-TRAY PERF EMB 3M M/F 25X300 HDG	485249	5,45		DC 01	EN 10130	GC/HDG/C	ISO 1461	7825
P31-DALLE EMB 3M M/F 25X400 GC P31-TRAY PERF EMB 3M M/F 25X400 HDG	482050	10,29		DC 01	EN 10130	GC/HDG/C	ISO 1461	10465
P31-DALLE EMB 3M M/F 25X500 GC P31-TRAY PERF EMB 3M M/F 25X500 HDG	482051	12,44		DC 01	EN 10130	GC/HDG/C	ISO 1461	13105

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)



P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT

Référence(s): **480044/45/46/47/50/51**
Item(s): **485048/49**
482144/45/46/47
485248/49
482050/51


2. DIMENSIONS (mm)



Designation Description	Largeur Width W (mm)
P31-TÔLE PERFORÉE 25X50 P31-TRAY PERFORATED 25X50	50
P31-TÔLE PERFORÉE 25X75 P31-TRAY PERFORATED 25X75	77
P31-TÔLE PERFORÉE 25X100 P31-TRAY PERFORATED 25X100	100
P31-TÔLE PERFORÉE 25X150 P31-TRAY PERFORATED 25X150	150
P31-TÔLE PERFORÉE 25X200 P31-TRAY PERFORATED 25X200	200
P31-TÔLE PERFORÉE 25X300 P31-TRAY PERFORATED 25X300	300
P31-TÔLE PERFORÉE 25X400 P31-TRAY PERFORATED 25X400	400
P31-TÔLE PERFORÉE 25X500 P31-TRAY PERFORATED 25X500	500




Mâle/Femelle
Male/Female









P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT

Référence(s): **480044/45/46/47/50/51**
Item(s): **485048/49**
482144/45/46/47
485248/49
482050/51




Référence(s): **341895 (GS/PG)**
Item(s):

3. INSTALLATION



P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT



25 mm




75 -> 500 mm



3 m

4. CHARGES ADMISSIBLES LOADING GRAPH

H25 MF - TESTTYPE IIB (IEC 61537)




P31+ MF CHEMIN CABLE
P31+ MF CABLE TRAY PERF.
P31+ MF KABELGOOT

5. INFORMATION COMPLEMENTAIRE POUR UL
ADDITIONAL INFORMATION FOR UL


Référence(s): **585357**
Item(s): **585367**
585377

BORNE LAITON POUR CONDUCTEURS DE PROTECTION (BLT)
BRASS EARTH GROUNDING CONNECTION (EGC)


Obligatoire aux USA quand le systeme est utilisé
conformément à la NFPA 70®
*Requires mandatory usage in USA when the system is used
according to NFPA 70®*




Designation Description	Code	Matière Material	Section (mm²)
BLT6-16 BORNE DE TERRE BLT6-16 CU EARTH TERMINAL	585357	BRASS	16
BLT6-35 BORNE DE TERRE BLT6-35 CU EARTH TERMINAL	585367		35
BLT6-50 BORNE DE TERRE BLT6-50 CU EARTH TERMINAL	585377		50



①



②



③

*Consulter le fiche technique FT1036 pour trouver d'autres infos complémentaires
*Refer to technical sheet FT1036 for further information