





P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)




ZW / EZW CHEMIN DE CÂBLES TÔLE PERFORÉE
ZW / EZW PERFORATED CABLE TRAYS




P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **481387/480440/42/43/44**
Item(s): **480123/24/25/483387**
482440/42/43/44
482003/04/05
487790/91/92/93/94/95/96
487780/81/82/83/84/85/86

1. GAMME/RANGE
GS, GC/ PG, HDG



<->	<->	<->	<->	<->	<->	<->
50	75	100	150	200	300/400	500
Plat	Plat	Plat	Plat	Plat	Plat	Plat
Flat	Flat	Flat	Flat	Flat	Flat	Flat



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **481387/480440/42/43/44**
Item(s): **480123/24/25/483387**
482440/42/43/44
482003/04/05
487790/91/92/93/94/95/96
487780/81/82/83/84/85/86

ZW CHEMIN DE CÂBLES TÔLE PERFORÉE GS 3M (3030mm)
ZW PERFORATED CABLE TRAYS PG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 25X50 GS P31-TRAY PERF 3M 25X50 PG	480440	2,50		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	1128
P31-DALLE 3M 25X75 GS P31-TRAY PERF 3M 25X75 PG	481387	3,56		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	1776
P31-DALLE 3M 25X100 GS P31-TRAY PERF 3M 25X100 PG	480442	5,21		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	2328
P31-DALLE 3M 25X150 GS P31-TRAY PERF 3M 25X150 PG	480443	6,76		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	3528
P31-DALLE 3M 25X200 GS P31-TRAY PERF 3M 25X200 PG	480444	8,34		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4728
P31-DALLE 3M 25X300 GS P31-TRAY PERF 3M 25X300 PG	480123	12,29		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	7128
P31-DALLE 3M 25X400 GS P31-TRAY PERF 3M 25X400 PG	480124	16,10		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9528
P31-DALLE 3M 25X500 GS P31-TRAY PERF 3M 25X500 PG	480125	19,86		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11928

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

ZW CHEMIN DE CÂBLES TÔLE PERFORÉE GC 3M (3030mm)
ZW PERFORATED CABLE TRAYS HDG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 25X50 GC P31-TRAY PERF 3M 25X50 HDG	482440	2,75		DC 01	EN 10130	GC/HDG/C	ISO 1461	1128
P31-DALLE 3M 25X75 GC P31-TRAY PERF 3M 25X75 HDG	483387	3,92		DC 01	EN 10130	GC/HDG/C	ISO 1461	1776
P31-DALLE 3M 25X100 GC P31-TRAY PERF 3M 25X100 HDG	482442	5,73		DC 01	EN 10130	GC/HDG/C	ISO 1461	2328
P31-DALLE 3M 25X150 GC P31-TRAY PERF 3M 25X150 HDG	482443	7,44		DC 01	EN 10130	GC/HDG/C	ISO 1461	3528
P31-DALLE 3M 25X200 GC P31-TRAY PERF 3M 25X200 HDG	482444	9,17		DC 01	EN 10130	GC/HDG/C	ISO 1461	4728
P31-DALLE 3M 25X300 GC P31-TRAY PERF 3M 25X300 HDG	482003	13,52		DC 01	EN 10130	GC/HDG/C	ISO 1461	7128
P31-DALLE 3M 25X400 GC P31-TRAY PERF 3M 25X400 HDG	482004	17,71		DC 01	EN 10130	GC/HDG/C	ISO 1461	9528
P31-DALLE 3M 25X500 GC P31-TRAY PERF 3M 25X500 HDG	482005	21,85		DC 01	EN 10130	GC/HDG/C	ISO 1461	11928

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **481387/480440/42/43/44**
Item(s): **480123/24/25/483387**
482440/42/43/44
482003/04/05
487790/91/92/93/94/95/96
487780/81/82/83/84/85/86

EZW CHEMIN DE CÂBLES TÔLE PERFORÉE GS 3M (3030mm)
EZW PERFORATED CABLE TRAYS PG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 25X75 GS	487790	5,93		DX51D+Z275	EN 10346	GS/PG/Z	EN 10346	1679
P31-TRAY PERF 3M 25X75 PG								
P31-DALLE 3M 25X100 GS	487791	6,95		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	2208
P31-TRAY PERF 3M 25X100 PG								
P31-DALLE 3M 25X150 GS	487792	9,02		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	3358
P31-TRAY PERF 3M 25X150 PG								
P31-DALLE 3M 25X200 GS	487793	11,12		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	4508
P31-TRAY PERF 3M 25X200 PG								
P31-DALLE 3M 25X300 GS	487794	16,42		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	6808
P31-TRAY PERF 3M 25X300 PG								
P31-DALLE 3M 25X400 GS	487795	21,46		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	9108
P31-TRAY PERF 3M 25X400 PG								
P31-DALLE 3M 25X500 GS	487796	26,49		DX51D + Z275	EN 10346	GS/PG/Z	EN 10346	11408
P31-TRAY PERF 3M 25X500 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

EZW CHEMIN DE CÂBLES TÔLE PERFORÉE GC 3M (3030mm)
EZW PERFORATED CABLE TRAYS ZWG 3M (3030mm)



Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 25X75 GC	487780	6,52		DC 01	EN 10130	GC/HDG/C	ISO 1461	1679
P31-TRAY PERF 3M 25X75 HDG								
P31-DALLE 3M 25X100 GC	487781	7,65		DC 01	EN 10130	GC/HDG/C	ISO 1461	2208
P31-TRAY PERF 3M 25X100 HDG								
P31-DALLE 3M 25X150 GC	487782	9,92		DC 01	EN 10130	GC/HDG/C	ISO 1461	3358
P31-TRAY PERF 3M 25X150 HDG								
P31-DALLE 3M 25X200 GC	487783	12,23		DC 01	EN 10130	GC/HDG/C	ISO 1461	4508
P31-TRAY PERF 3M 25X200 HDG								
P31-DALLE 3M 25X300 GC	487784	18,06		DC 01	EN 10130	GC/HDG/C	ISO 1461	6808
P31-TRAY PERF 3M 25X300 HDG								
P31-DALLE 3M 25X400 GC	487785	23,61		DC 01	EN 10130	GC/HDG/C	ISO 1461	9108
P31-TRAY PERF 3M 25X400 HDG								
P31-DALLE 3M 25X500 GC	487786	29,14		DC 01	EN 10130	GC/HDG/C	ISO 1461	11408
P31-TRAY PERF 3M 25X500 HDG								

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **481387/480440/42/43/44**
Item(s): **480123/24/25/483387**
482440/42/43/44
482003/04/05
487790/91/92/93/94/95/96
487780/81/82/83/84/85/86


2. DIMENSIONS (mm)



Designation Description	Largeur Width W (mm)
P31-TÔLE PERFORÉE 25X50 P31-TRAY PERFORATED 25X50	50
P31-TÔLE PERFORÉE 25X75 P31-TRAY PERFORATED 25X75	77
P31-TÔLE PERFORÉE 25X100 P31-TRAY PERFORATED 25X100	100
P31-TÔLE PERFORÉE 25X150 P31-TRAY PERFORATED 25X150	150
P31-TÔLE PERFORÉE 25X200 P31-TRAY PERFORATED 25X200	200
P31-TÔLE PERFORÉE 25X300 P31-TRAY PERFORATED 25X300	300
P31-TÔLE PERFORÉE 25X400 P31-TRAY PERFORATED 25X400	400
P31-TÔLE PERFORÉE 25X500 P31-TRAY PERFORATED 25X500	500



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **481387/480440/42/43/44**
Item(s): **480123/24/25/483387**
482440/42/43/44
482003/04/05
487790/91/92/93/94/95/96
487780/81/82/83/84/85/86




Référence(s): **341895 (GS/PG)**
Item(s):




3. INSTALLATION



External Coupler




P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)





4. CHARGES ADMISSIBLES LOADING GRAPH

H25 ZW - TESTTYPE IIB (IEC 61537)



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)



4. CHARGES ADMISSIBLES LOADING GRAPH

H25 EZW - TESTTYPE IIB (IEC 61537)

