


P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)



100 mm




100 -> 600




3 -> 6 m



ZW CHEMIN DE Câbles TôLE PERFORÉE
ZW PERFORATED CABLE TRAYS




ZW CHEMIN DE Câbles TôLE NON PERFORÉE
ZW BLIND CABLE TRAYS



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94

1. GAMME/RANGE
GS, GC/ PG, HDG








<->
100
Plat
Flat

<->
150
Plat
Flat

<->
200
Plat
Flat

<->
300/400
Plat
Flat

<->
500/600
Plat
Flat



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94

ZW CHEMIN DE CÂBLES TÔLE PERFORÉE GS 3M (3030mm)
ZW PERFORATED CABLE TRAYS PG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 100X100 GS	487409	9,80		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9409
P31-TRAY PERF 3M 100X100 PG								
P31-DALLE 3M 100X150 GS	487410	11,40		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14259
P31-TRAY PERF 3M 100X150 PG								
P31-DALLE 3M 100X200 GS	487411	13,00		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	19109
P31-TRAY PERF 3M 100X200 PG								
P31-DALLE 3M 100X300 GS	487412	16,21		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	28809
P31-TRAY PERF 3M 100X300 PG								
P31-DALLE 3M 100X400 GS	487413	19,30		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	38509
P31-TRAY PERF 3M 100X400 PG								
P31-DALLE 3M 100X500 GS	487414	22,39		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	48209
P31-TRAY PERF 3M 100X500 PG								
P31-DALLE 3M 100X600 GS	487415	25,50		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	57909
P31-TRAY PERF 3M 100X600 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

ZW CHEMIN DE CÂBLES TÔLE PERFORÉE GC 3M (3030mm)
ZW PERFORATED CABLE TRAYS HDG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 100X100 GC	487425	10,78		DC01	EN 10130	GC/HDG/C	ISO 1461	9409
P31-TRAY PERF 3M 100X100 HDG								
P31-DALLE 3M 100X150 GC	487426	12,54		DC01	EN 10130	GC/HDG/C	ISO 1461	14259
P31-TRAY PERF 3M 100X150 HDG								
P31-DALLE 3M 100X200 GC	487427	14,30		DC01	EN 10130	GC/HDG/C	ISO 1461	19109
P31-TRAY PERF 3M 100X200 HDG								
P31-DALLE 3M 100X300 GC	487428	17,83		DC01	EN 10130	GC/HDG/C	ISO 1461	28809
P31-TRAY PERF 3M 100X300 HDG								
P31-DALLE 3M 100X400 GC	487429	21,23		DC01	EN 10130	GC/HDG/C	ISO 1461	38509
P31-TRAY PERF 3M 100X400 HDG								
P31-DALLE 3M 100X500 GC	487430	24,63		DC01	EN 10130	GC/HDG/C	ISO 1461	48209
P31-TRAY PERF 3M 100X500 HDG								
P31-DALLE 3M 100X600 GC	487431	28,05		DC01	EN 10130	GC/HDG/C	ISO 1461	57909
P31-TRAY PERF 3M 100X600 HDG								

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94

EZW CHEMIN DE CÂBLES TÔLE PERFORÉE GS 3M (3030mm)
EZW PERFORATED CABLE TRAYS PG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 100X100 GS	487441	12,91		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9216
P31-TRAY PERF 3M 100X100 PG								
P31-DALLE 3M 100X150 GS	487442	14,98		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14016
P31-TRAY PERF 3M 100X150 PG								
P31-DALLE 3M 100X200 GS	487443	17,21		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	18816
P31-TRAY PERF 3M 100X200 PG								
P31-DALLE 3M 100X300 GS	487445	21,35		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	28416
P31-TRAY PERF 3M 100X300 PG								
P31-DALLE 3M 100X400 GS	487446	25,49		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	38016
P31-TRAY PERF 3M 100X400 PG								
P31-DALLE 3M 100X500 GS	487447	29,64		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	47616
P31-TRAY PERF 3M 100X500 PG								
P31-DALLE 3M 100X600 GS	487448	33,78		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	57216
P31-TRAY PERF 3M 100X600 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

EZW CHEMIN DE CÂBLES TÔLE PERFORÉE GS 6M (6060mm)
EZW PERFORATED CABLE TRAYS PG 6M (6060mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 6M 100X100 GS	487888	25,82		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9216
P31-TRAY PERF 6M 100X100 PG								
P31-DALLE 6M 100X150 GS	487889	29,96		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14016
P31-TRAY PERF 6M 100X150 PG								
P31-DALLE 6M 100X200 GS	487890	34,42		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	18816
P31-TRAY PERF 6M 100X200 PG								
P31-DALLE 6M 100X300 GS	487891	42,70		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	28416
P31-TRAY PERF 6M 100X300 PG								
P31-DALLE 6M 100X400 GS	487892	50,98		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	38016
P31-TRAY PERF 6M 100X400 PG								
P31-DALLE 6M 100X500 GS	487893	59,28		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	47616
P31-TRAY PERF 6M 100X500 PG								
P31-DALLE 6M 100X600 GS	487894	67,56		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	57216
P31-TRAY PERF 6M 100X600 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94

EZW CHEMIN DE CÂBLES TÔLE PERFORÉE GC 3M (3030mm)
EZW PERFORATED CABLE TRAYS HDG 3M (3030mm)




Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-DALLE 3M 100X100 GC	487458	14,20		DC01	EN 10130	GC/HDG/C	ISO 1461	9216
P31-TRAY PERF 3M 100X100 HDG								
P31-DALLE 3M 100X150 GC	487459	16,48		DC01	EN 10130	GC/HDG/C	ISO 1461	14016
P31-TRAY PERF 3M 100X150 HDG								
P31-DALLE 3M 100X200 GC	487460	18,93		DC01	EN 10130	GC/HDG/C	ISO 1461	18816
P31-TRAY PERF 3M 100X200 HDG								
P31-DALLE 3M 100X300 GC	487461	23,49		DC01	EN 10130	GC/HDG/C	ISO 1461	28416
P31-TRAY PERF 3M 100X300 HDG								
P31-DALLE 3M 100X400 GC	487462	28,04		DC01	EN 10130	GC/HDG/C	ISO 1461	38016
P31-TRAY PERF 3M 100X400 HDG								
P31-DALLE 3M 100X500 GC	487463	32,60		DC01	EN 10130	GC/HDG/C	ISO 1461	47616
P31-TRAY PERF 3M 100X500 HDG								
P31-DALLE 3M 100X600 GC	487464	37,16		DC01	EN 10130	GC/HDG/C	ISO 1461	57216
P31-TRAY PERF 3M 100X600 HDG								

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94


2. DIMENSIONS (mm)



Designation Description		Longueur Utile Usable Length L (mm)	Largeur Width W (mm)
P31-TÔLE PERFORÉE 100X100 P31-TRAY PERF 100X100	P31+ ZW	3030	100
P31-TÔLE PERFORÉE 100X150 P31-TRAY PERF 100X150		3030	150
P31-TÔLE PERFORÉE 100X200 P31-TRAY PERF 100X200		3030	200
P31-TÔLE PERFORÉE 100X300 P31-TRAY PERF 100X300		3030	300
P31-TÔLE PERFORÉE 100X400 P31-TRAY PERF 100X400		3030	400
P31-TÔLE PERFORÉE 100X500 P31-TRAY PERF 100X500		3030	500
P31-TÔLE PERFORÉE 100X600 P31-TRAY PERF 100X600		3030	600
P31-TÔLE PERFORÉE 100X100 P31-TRAY PERF 100X100	P31+ EZW	3030	6060
P31-TÔLE PERFORÉE 100X150 P31-TRAY PERF 100X150		3030	6060
P31-TÔLE PERFORÉE 100X200 P31-TRAY PERF 100X200		3030	6060
P31-TÔLE PERFORÉE 100X300 P31-TRAY PERF 100X300		3030	6060
P31-TÔLE PERFORÉE 100X400 P31-TRAY PERF 100X400		3030	6060
P31-TÔLE PERFORÉE 100X500 P31-TRAY PERF 100X500		3030	6060
P31-TÔLE PERFORÉE 100X600 P31-TRAY PERF 100X600		3030	6060



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487409/10/11/12/13/14/15**
Item(s): **487425/26/27/28/29/30/31**
487441/42/43/45/46/47/48
487458/59/60/61/62/63/64
487888/89/90/91/92/93/94






Référence(s): **341895 (GS/PG)**
Item(s):


3. INSTALLATION



OR
EP Coupler




OR
EP Coupler




P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487320/30/40/50/60/70/80/90**
Item(s): **487323/33/43/53/63/73/83/93**
487895/96/97/98/99
487900/01


1. GAMME/RANGE
GS, GC/ PG, HDG




<->
100
Plat
Flat




<->
150
Plat
Flat




<->
200
Plat
Flat



<->
300/400
Plat
Flat



<->
500/600
Plat
Flat



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487320/30/40/50/60/70/80/90**
Item(s): **487323/33/43/53/63/73/83/93**
487895/96/97/98/99
487900/01

ZW CHEMIN DE CÂBLES TÔLE NON PERFORÉE GS 3M (3030mm)
ZW BLIND CABLE TRAYS PG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-GOULOTTE 3M 100X100 GS	487320	11,00		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9409
P31-TRAY BLIND 3M 100X100 PG								
P31-GOULOTTE 3M 100X150 GS	487330	12,85		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14259
P31-TRAY BLIND 3M 100X150 PG								
P31-GOULOTTE 3M 100X200 GS	487340	14,50		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	19109
P31-TRAY BLIND 3M 100X200 PG								
P31-GOULOTTE 3M 100X300 GS	487360	18,15		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	28809
P31-TRAY BLIND 3M 100X300 PG								
P31-GOULOTTE 3M 100X400 GS	487370	21,69		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	38509
P31-TRAY BLIND 3M 100X400 PG								
P31-GOULOTTE 3M 100X500 GS	487380	25,30		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	48209
P31-TRAY BLIND 3M 100X500 PG								
P31-GOULOTTE 3M 100X1000 GS	487390	28,80		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	57909
P31-TRAY BLIND 3M 100X1000 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

ZW CHEMIN DE CÂBLES TÔLE NON PERFORÉE GC 3M (3030mm)
ZW BLIND CABLE TRAYS HDG 3M (3030mm)

Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-GOULOTTE 3M 100X100 GC	487323	12,10		DC01	EN 10130	GC/HDG/C	ISO 1461	9409
P31-TRAY BLIND 3M 100X100 HDG								
P31-GOULOTTE 3M 100X150 GC	437333	14,14		DC01	EN 10130	GC/HDG/C	ISO 1461	14259
P31-TRAY BLIND 3M 100X150 HDG								
P31-GOULOTTE 3M 100X200 GC	387343	15,95		DC01	EN 10130	GC/HDG/C	ISO 1461	19109
P31-TRAY BLIND 3M 100X200 HDG								
P31-GOULOTTE 3M 100X300 GC	487363	19,97		DC01	EN 10130	GC/HDG/C	ISO 1461	28809
P31-TRAY BLIND 3M 100X300 HDG								
P31-GOULOTTE 3M 100X400 GC	487373	23,86		DC01	EN 10130	GC/HDG/C	ISO 1461	38509
P31-TRAY BLIND 3M 100X400 HDG								
P31-GOULOTTE 3M 100X500 GC	487383	27,83		DC01	EN 10130	GC/HDG/C	ISO 1461	48209
P31-TRAY BLIND 3M 100X500 HDG								
P31-GOULOTTE 3M 100X600 GC	487393	31,68		DC01	EN 10130	GC/HDG/C	ISO 1461	57909
P31-TRAY BLIND 3M 100X600 HDG								

Classe de résistance contre la corrosion 6 (IEC 61537)
Corrosion resistance classification 6 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487320/30/40/50/60/70/80/90**
Item(s): **487323/33/43/53/63/73/83/93**
487895/96/97/98/99
487900/01

EZW CHEMIN DE CÂBLES TÔLE NON PERFORÉE GS 3M (3030mm)
EZW BLIND CABLE TRAYS PG 3M (3030mm)



Designation Description	Code	Poids Weight (Kg)		Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-GOULOTTE 6M 100X100 GS	487895	22,00		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	9216
P31-TRAY BLIND 6M 100X100 PG								
P31-GOULOTTE 6M 100X150 GS	487896	25,70		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14016
P31-TRAY BLIND 6M 100X150 PG								
P31-GOULOTTE 6M 100X200 GS	487897	29,00		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	18816
P31-TRAY BLIND 6M 100X200 PG								
P31-GOULOTTE 6M 100X300 GS	487898	36,30		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	28416
P31-TRAY BLIND 6M 100X300 PG								
P31-GOULOTTE 6M 100X400 GS	487899	43,38		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	38016
P31-TRAY BLIND 6M 100X400 PG								
P31-GOULOTTE 6M 100X500 GS	487900	50,60		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	47616
P31-TRAY BLIND 6M 100X500 PG								
P31-GOULOTTE 6M 100X600 GS	487901	57,60		DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	57216
P31-TRAY BLIND 6M 100X600 PG								

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487320/30/40/50/60/70/80/90**
Item(s): **487323/33/43/53/63/73/83/93**
487895/96/97/98/99
487900/01


2. DIMENSIONS (mm)



Designation Description		Longueur Utile Usable Length L (mm)	Largeur Width W (mm)
P31-GOULOTTE 100X100 P31-TRAY BLIND 100X100	P31+ ZW	3030	100
P31-GOULOTTE 100X150 P31-TRAY BLIND 100X150		3030	150
P31-GOULOTTE 100X200 P31-TRAY BLIND 100X200		3030	200
P31-GOULOTTE 100X300 P31-TRAY BLIND 100X300		3030	300
P31-GOULOTTE 100X400 P31-TRAY BLIND 100X400		3030	400
P31-GOULOTTE 100X500 P31-TRAY BLIND 100X500		3030	500
P31-GOULOTTE 100X600 P31-TRAY BLIND 100X600		3030	600
P31-GOULOTTE 100X100 P31-TRAY BLIND 100X100	P31+ EZW	6060	100
P31-GOULOTTE 100X150 P31-TRAY BLIND 100X150		6060	150
P31-GOULOTTE 100X200 P31-TRAY BLIND 100X200		6060	200
P31-GOULOTTE 100X300 P31-TRAY BLIND 100X300		6060	300
P31-GOULOTTE 100X400 P31-TRAY BLIND 100X400		6060	400
P31-GOULOTTE 100X500 P31-TRAY BLIND 100X500		6060	500
P31-GOULOTTE 100X600 P31-TRAY BLIND 100X600		6060	600







P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)

Référence(s): **487320/30/40/50/60/70/80/90**
Item(s): **487323/33/43/53/63/73/83/93**
487895/96/97/98/99
487900/01



Référence(s): **341895 (GS/PG)**
Item(s):

3. INSTALLATION



P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)


100 mm

100 -> 600

3 -> 6 m

4. CHARGES ADMISSIBLES LOADING GRAPH

H100 ZW - TESTTYPE IIB (IEC 61537)



Eclisse fond pour largeurs de 400mm jusqu'à 600mm (voir pages 7 et 12)
Bottom plate for width from 400mm to 600mm (see pages 7 and 12)

Designation Description	Finition GS Coating PG	Finition GC Coating HDG	Finition SS316L Coating SS316L
Eclisse fond 400 Bottom plate 400	481181	482341	486016
Eclisse fond 500 Bottom plate 500	481182	482342	486017
Eclisse fond 600 Bottom plate 600	481183	482343	486018

P31+ ZW / EZW CHEMIN CABLE (LOURDES / EXTRA LOURDE)
P31+ ZW / EZW CABLE TRAY (HEAVY DUTY / EXTRA HEAVY DUTY)
P31+ ZW / EZW KABELGOOT (ZWAAR / EXTRA ZWAAR)


100 mm

100 -> 600

3 -> 6 m

4. CHARGES ADMISSIBLES LOADING GRAPH

H100 EZW - TESTTYPE IIB (IEC 61537)



Eclisse fond pour largeurs de 400mm jusqu'à 600mm (voir pages 7 et 12)
Bottom plate for width from 400mm to 600mm (see pages 7 and 12)

Designation Description	Finition GS Coating PG	Finition GC Coating HDG	Finition SS316L Coating SS316L
Eclisse fond 400 Bottom plate 400	481181	482341	486016
Eclisse fond 500 Bottom plate 500	481182	482342	486017
Eclisse fond 600 Bottom plate 600	481183	482343	486018