

P31 - DERIVATION
P31 - BRANCH

Reference(s) : **480108/09/18/19/26/27/28**
Items(s) : **482108/09/18/19/26/27/28**


25 mm



75 -> 150 mm



200 -> 500 mm


1. GAMME/RANGE
P31 - DERIVATION H25 GS
P31 - BRANCH H25 PG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm ²)
P31 - DERIVATION 25x75 GS P31 - BRANCH 25X75 PG	480108	0,27	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	2169
P31 - DERIVATION 25x100 GS P31 - BRANCH 25X100 PG	480109	0,29	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	2820
P31 - DERIVATION 25x150 GS P31 - BRANCH 25X150 PG	480118	0,35	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4235
P31 - DERIVATION 25x200 GS P31 - BRANCH 25X200 PG	480119	0,40	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5650
P31 - DERIVATION 25x300 GS P31 - BRANCH 25X300 PG	480126	0,50	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	8480
P31 - DERIVATION 25x400 GS P31 - BRANCH 25X400 PG	480127	0,60	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11310
P31 - DERIVATION 25x500 GS P31 - BRANCH 25X500 PG	480128	0,70	0,7	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	14140

Classe de résistance contre la corrosion 3 (IEC 61537)

Corrosion resistance classification 3 (IEC 61537)

P31 - DERIVATION H25 GC
P31 - BRANCH H25 HDG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm ²)
P31 - DERIVATION 25x75 GC P31 - BRANCH 25X75 HDG	482108	0,30	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	2169
P31 - DERIVATION 25x100 GC P31 - BRANCH 25X100 HDG	482109	0,32	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	2820
P31 - DERIVATION 25x150 GC P31 - BRANCH 25X150 HDG	482118	0,38	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	4235
P31 - DERIVATION 25x200 GC P31 - BRANCH 25X200 HDG	482119	0,44	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	5650
P31 - DERIVATION 25x300 GC P31 - BRANCH 25X300 HDG	482126	0,55	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	8480
P31 - DERIVATION 25x400 GC P31 - BRANCH 25X400 HDG	482127	0,66	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	11310
P31 - DERIVATION 25x500 GC P31 - BRANCH 25X500 HDG	482128	0,77	0,7	DC01	EN 10130	GC/HDG/C	ISO 1461	14140

Classe de résistance contre la corrosion 6 (IEC 61537)

Corrosion resistance classification 6 (IEC 61537)

Technical sheet : **FT0951**

Last update : 18-02-2019



Created : 10-10-2017

P31 - DERIVATION P31 - BRANCH

Reference(s): **480108/09/18/19/26/27/28**
Item(s): **482108/09/18/19/26/27/28**


2. DIMENSIONS (mm)

Designation Description	Largeur Width (W mm)	Rayon Radius (mm)	L1 (mm)	L2 (mm)
P31 - DERIVATION W75 P31 - BRANCH W75	79,4	100	378	185
P31 - DERIVATION W100 P31 - BRANCH W100	102,4	100	401	
P31 - DERIVATION W150 P31 - BRANCH W150	152,4	100	451	
P31 - DERIVATION W200 P31 - BRANCH W200	202,4	100	501	
P31 - DERIVATION W300 P31 - BRANCH W300	302,4	100	601	
P31 - DERIVATION W400 P31 - BRANCH W400	402,4	100	701	
P31 - DERIVATION W500 P31 - BRANCH W500	502,4	100	801	






P31 - DERIVATION
P31 - BRANCH

Reference(s): **480108/09/18/19/26/27/28**
Item(s): **482108/09/18/19/26/27/28**



Reference(s): 341895 (PG)
Item(s): 346895 (AISI 316L)

3. INSTALLATION



Detail A

