


P31 - CPC COUDE 45D SLIDE-IN
P31 - CPC FLAT BEND 45D

Reference(s) : **487840/38/39/41/42/43**
Items(s) :


60 mm



75 -> 400 mm


1. GAMME/RANGE
P31 - CPC COUDE 45D H60 SLIDE-IN GS
P31 - CPC FLAT BEND 45D H60 PG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-CPC COUDE 45D 60X75 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X75 PG	487840	0,19	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4305
P31-CPC COUDE 45D 60X100 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X100 PG	487838	0,22	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5733
P31-CPC COUDE 45D 60X150 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X150 PG	487839	0,32	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	8588
P31-CPC COUDE 45D 60X200 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X200 PG	487841	0,43	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11443
P31-CPC COUDE 45D 60X300 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X300 PG	487842	0,69	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	17153
P31-CPC COUDE 45D 60X400 SLIDE-IN GS P31-CPC FLAT BEND 45D 60X400 PG	487843	1,00	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	22863

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)


P31 - CPC COUDE 30D SLIDE-IN
P31 - CPC FLAT BEND 30D

Reference(s) : **487804/08/09/05/06/07**
Items(s) :


60 mm



75 -> 400 mm


1. GAMME/RANGE

P31 - CPC COUDE 30D H60 SLIDE-IN GS

P31 - CPC FLAT BEND 30D H60 PG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-CPC COUDE 30D 60X75 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X75 PG	487804	0,17	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4305
P31-CPC COUDE 30D 60X100 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X100 PG	487808	0,20	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5733
P31-CPC COUDE 30D 60X150 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X150 PG	487809	0,27	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	8588
P31-CPC COUDE 30D 60X200 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X200 PG	487805	0,36	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11443
P31-CPC COUDE 30D 60X300 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X300 PG	487806	0,55	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	17153
P31-CPC COUDE 30D 60X400 SLIDE-IN GS P31-CPC FLAT BEND 30D 60X400 PG	487807	0,79	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	22863

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

P31 - CPC COUDE 15D SLIDE-IN
P31 - CPC FLAT BEND 15D


Reference(s) : **487800/798/799/801/802/803**
Items(s) :



60 mm



75 -> 400 mm



1. GAMME/RANGE

P31 - CPC COUDE 15D H60 SLIDE-IN GS
P31 - CPC FLAT BEND 15D H60 PG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm²)
P31-CPC COUDE 15D 60X75 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X75 PG	487800	0,16	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4305
P31-CPC COUDE 15D 60X100 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X100 PG	487798	0,18	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5733
P31-CPC COUDE 15D 60X150 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X150 PG	487799	0,24	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	8588
P31-CPC COUDE 15D 60X200 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X200 PG	487801	0,30	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11443
P31-CPC COUDE 15D 60X300 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X300 PG	487802	0,44	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	17153
P31-CPC COUDE 15D 60X400 SLIDE-IN GS P31-CPC FLAT BEND 15D 60X400 PG	487803	0,61	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	22863

Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

P31 - CPC COUDE FLEX.IR/OR 45D
P31 - CPC FLEXIBLE FB IR/OR 45D


Reference(s) : **487970/68/69/72/73/74**
Items(s) :



60 mm



75 -> 400 mm



1. GAMME/RANGE

P31 - CPC COUDE FLEX.IR/OR 45D H60 GS
P31 - CPC FLEXIBLE FB IR/OR 45D H60 PG

Designation Description	Code	Poids Weight (Kg)	Épaisseur Thickness (mm)	Matière Raw Material	Norme matière Standard Raw Material	Finition Coating	Norme Finition Standard Coating	Section (mm ²)
P31-CPC COUDE FLEX.IR/OR 45D 60X75 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X75 PG	487970	0,21	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	4305
P31-CPC COUDE FLEX.IR/OR 45D 60X100 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X100 PG	487968	0,23	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	5733
P31-CPC COUDE FLEX.IR/OR 45D 60X150 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X150 PG	487969	0,29	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	8588
P31-CPC COUDE FLEX.IR/OR 45D 60X200 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X200 PG	487972	0,34	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	11443
P31-CPC COUDE FLEX.IR/OR 45D 60X300 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X300 PG	487973	0,45	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	17153
P31-CPC COUDE FLEX.IR/OR 45D 60X400 GS P31-CPC FLEXIBLE FB IR/OR 45D 60X400 PG	487974	0,57	1	DX51D + Z200	EN 10346	GS/PG/Z	EN 10346	22863



Classe de résistance contre la corrosion 3 (IEC 61537)
Corrosion resistance classification 3 (IEC 61537)

P31 - CPC COUDE 45D SLIDE-IN
P31 - CPC FLAT BEND 45D

Reference(s) : **487840/38/39/41/42/43**
Items(s) :

2. DIMENSIONS(mm)

Designation Description	Largeur Width (W mm)	L1 (mm)	L2 (mm)
P31-CPC COUDE 45D 60X75 SLIDE-IN P31-CPC FLAT BEND 45D 60X75	79	115	171
P31-CPC COUDE 45D 60X100 SLIDE-IN P31-CPC FLAT BEND 45D 60X100	102	115	189
P31-CPC COUDE 45D 60X150 SLIDE-IN P31-CPC FLAT BEND 45D 60X150	152	115	227
P31-CPC COUDE 45D 60X200 SLIDE-IN P31-CPC FLAT BEND 45D 60X200	202	115	265
P31-CPC COUDE 45D 60X300 SLIDE-IN P31-CPC FLAT BEND 45D 60X300	302	115	342
P31-CPC COUDE 45D 60X400 SLIDE-IN P31-CPC FLAT BEND 45D 60X400	402	115	418





P31 - CPC COUDE 30D SLIDE-IN
P31 - CPC FLAT BEND 30D

Reference(s) : **487804/08/09/05/06/07**
Items(s) :

2. DIMENSIONS(mm)

Designation Description	Largeur Width (W mm)	L1 (mm)	L2 (mm)
P31-CPC COUDE 30D 60X75 SLIDE-IN P31-CPC FLAT BEND 30D 60X75	79	118	155
P31-CPC COUDE 30D 60X100 SLIDE-IN P31-CPC FLAT BEND 30D 60X100	102	118	167
P31-CPC COUDE 30D 60X150 SLIDE-IN P31-CPC FLAT BEND 30D 60X150	152	118	193
P31-CPC COUDE 30D 60X200 SLIDE-IN P31-CPC FLAT BEND 30D 60X200	202	118	219
P31-CPC COUDE 30D 60X300 SLIDE-IN P31-CPC FLAT BEND 30D 60X300	302	118	271
P31-CPC COUDE 30D 60X400 SLIDE-IN P31-CPC FLAT BEND 30D 60X400	402	118	323





P31 - CPC COUDE 15D SLIDE-IN
P31 - CPC FLAT BEND 15D

Reference(s) : **487800/798/799/801/802/803**
Items(s) :

2. DIMENSIONS

Designation Description	Largeur Width (W mm)	L1 (mm)	L2 (mm)
P31-CPC COUDE 15D 60X75 SLIDE-IN P31-CPC FLAT BEND 15D 60X75	79	120	138
P31-CPC COUDE 15D 60X100 SLIDE-IN P31-CPC FLAT BEND 15D 60X100	102	120	144
P31-CPC COUDE 15D 60X150 SLIDE-IN P31-CPC FLAT BEND 15D 60X150	152	120	157
P31-CPC COUDE 15D 60X200 SLIDE-IN P31-CPC FLAT BEND 15D 60X200	202	120	170
P31-CPC COUDE 15D 60X300 SLIDE-IN P31-CPC FLAT BEND 15D 60X300	302	120	197
P31-CPC COUDE 15D 60X400 SLIDE-IN P31-CPC FLAT BEND 15D 60X400	402	120	223




P31 - CPC COUDE FLEX.IR/OR 45D
P31 - CPC FLEXIBLE FB IR/OR 45D

Reference(s) : **487970/68/69/72/73/74**
Items(s) :


2. DIMENSIONS(mm)

Designation Description	Largeur Width (W mm)
P31-CPC COUDE FLEX.IR/OR 45D 60X75 P31-CPC FLEXIBLE FB IR/OR 45D 60X75	79
P31-CPC COUDE FLEX.IR/OR 45D 60X100 P31-CPC FLEXIBLE FB IR/OR 45D 60X100	102
P31-CPC COUDE FLEX.IR/OR 45D 60X150 P31-CPC FLEXIBLE FB IR/OR 45D 60X150	152
P31-CPC COUDE FLEX.IR/OR 45D 60X200 P31-CPC FLEXIBLE FB IR/OR 45D 60X200	202
P31-CPC COUDE FLEX.IR/OR 45D 60X300 P31-CPC FLEXIBLE FB IR/OR 45D 60X300	302
P31-CPC COUDE FLEX.IR/OR 45D 60X400 P31-CPC FLEXIBLE FB IR/OR 45D 60X400	402





P31 - CPC COUDE 15/30/45D SLIDE-IN
P31 - CPC FLAT BEND 15/30/45D

Reference(s) : **487840/38/39/41/42/43**
Items(s) : **487804/08/09/05/06/07**
487800/798/799/801/802/803




Reference(s) : 341895 (PG)
Item(s) : 346895 (AISI 3162)



P31 - CPC COUDE FLEX.IR/OR 45D
P31 - CPC FLEXIBLE FB IR/OR 45D

Reference(s) : **487970/68/69/72/73/74**
Items(s) :



Reference(s): 341895 (PG)
Item(s): 346895 (AISI 3162)

