

LICENCE

No. 20007

Issued to:

Applicant:

Legrand Group Belgium N.V.
Kouterveldstraat 9, Ind. Zone
1831 DIEGEM
Belgium

Licensee:

Legrand Group Belgium N.V.
Kouterveldstraat 9, Ind. Zone
1831 DIEGEM
Belgium



Product : switches (for fixed installations)
Trade name(s) : BTICINO
Type(s)/model(s) : Series LIVING LIGHT (See appendix)

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 178

SGS CEBEC hereby grants the right to use the CEBEC certification mark

The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 05/07/2016

[Signature]
ir. C. Lana,
Certification Manager

© Only integral publication of this certificate, including the annex, is allowed

This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee



SGS Belgium NV-Division SGS CEBEC
Business Riverside Park
Bld Internationalelaan 55 Build. D
B-1070 Brussels
Tel.+32(0)2 556 00 20 Fax.+32(0)2 556 00 36

This certificate is issued by the company under its General Conditions for Certification Services accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report herein mentioned which findings are reflected in this Certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	switches (for fixed installations)
Trade name(s)	:	BTICINO
Type(s)/Model(s)	:	Series LIVING LIGHT (See appendix)
rated current (In)	:	10A, 16AX
rated voltage (Un)	:	127/250 Vac
pattern no(s).	:	1, 2, 6, 7
nature of supply	:	AC
method of actuating	:	rocker with momentary contact push-button with momentary contact rocker
contact opening (gap)	:	normal gap
protection against harmful ingress of water	:	Ip20
type of terminals	:	screw type, screwless type (rigid & flexible)
protection against electric shock	:	enclosed
method of mounting	:	flush type, surface-type (with boxes)
method of installation	:	type A
certification mark	:	complies with the requirements.
markings	:	are shown on the body

TESTS

Test requirements

NBN EN 60669-1 based on EN 60669-1:1999 + A1:2002 + A2:2008

Test results

The test results are laid down in certification file ref.624772/01

Remarks

This certificate is based on certificate ref. CBs IT-14403, IT-14404 & IT-14134 and test reports ref. 02AL00338, 02AL00338/1 to 02AL00338/3 and 02AL00339, 02AL00339/1 to 02AL00339/5

Remarks

This certificate is based on certificate ref. CBs IT-14403, IT-14404 & IT-14134 and test reports ref. 02AL00338, 02AL00338/1 to 02AL00338/3 and 02AL00339, 02AL00339/1 to 02AL00339/5

Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Luigi Zanutto - 05/07/2016

Department Manager, : Silvio Piras 2016/07/06

Product Certification

Certification Manager :




Luigi Zanutto
04/07/2016

FACTORY LOCATION(S)

BTicino S.p.A.
Viale Borri, 231
21100 VARESE
Italy

Reference	Rated Current/voltage	Contact	Terminal	Description
L4005/0	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module without rocker cover
L4005N	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, anthracite
N4005N	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, white
NT4005N	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, aluminium (TECH)
L4034N	10A 127/250V~	1NC	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, anthracite
N4034N	10A 127/250V~	1NC	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, aluminium (TECH)
NT4034N	10A 127/250V~	1NC	Screw type	1 pole, 1 way, push button with momentary contact; 1 module with key, anthracite
L4055A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 1 module with key, white
N4055A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 1 module with key, white
NT4055A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 1 module with key, aluminium (TECH)
L4055M2A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 2 modules with key, anthracite
N4055M2A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 2 modules with key, white
NT4055M2A	10A 27/250V~	1NO	Screwless	1 pole, 1 way, push button with momentary contact; 2 modules with key, aluminium (TECH)
L4005/0	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact, 1 module, without rocker cover
L4005A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 1 module with key, anthracite
L4005N	10A 127/250V~		Screw type	1 pole, 1 way, momentary contact, 1 module, with rocker cover, anthracite
N4005A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 1 module with key, white
N4005N	10A 127/250V~		Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, white
NT4005A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 1 module with key, aluminium (TECH)
NT4005N	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, aluminium (TECH)
L4005M2A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 2 modules with key, anthracite
N4005M2A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 2 modules with key, white
NT4005M2A	10A 127/250V~	1NO	Screwless	1 pole, 1 way, rocker with momentary contact; 2 modules with key, aluminium (TECH)
LN4040	10A 127/250V~	1NO	Screw type	1 pole, 1 way, rocker with momentary contact; 2 modules with label holder

Reference	Rated Current/voltage	Pattern	Terminal	Description
NT4034A	10A 127/250V~	1NO	Screw type	1 pole, 1 way, momentary contact; 1 module with rocker cover, aluminium (TECH)
L4001/0	16A 127/250V~	1	Screw type	1 pole, 1 way, rocker switch; 1 module without rocker cover
L4001N	16A 127/250V~	1	Screw type	1 pole, 1 way, rocker switch; 1 module with key, anthracite
N4001N	16A 127/250V~	1	Screw type	1 pole, 1 way, rocker switch; 1 module with key, white
NT4001N	16A 127/250V~	1	Screw type	1 pole, 1 way, rocker switch; 1 module with key, aluminium (TECH)
L4003/0	16A 127/250V~	6	Screw type	1 pole, 2 way, rocker with momentary contact; 1 module without rocker cover
L4003N	16A 127/250V~	6	Screw type	1 pole, 2 way, rocker switch; 1 module with key, anthracite
N4003N	16A 127/250V~	6	Screw type	1 pole, 2 way, rocker switch; 1 module with key, white
NT4003N	16A 127/250V~	6	Screw type	1 pole, 2 way, rocker with momentary contact; 1 module with key, aluminium (TECH)
LN4004*	16A 127/250V~	7	Screw type	2 pole, 2 way, reversing switch; 1 module without rocker cover
L4004N*	16A 127/250V~	7	Screw type	2 pole, 2 way, reversing switch; 1 module with rocker cover, anthracite
N4004N*	16A 127/250V~	7	Screw type	2 pole, 2 way, reversing switch; 1 modules with rocker cover, white
NT4004N*	16A 127/250V~	7	Screw type	2 pole, 2 way, reversing switch; 1 modules with rocker cover, aluminium (TECH)
L4002N*	16A 127/250V~	2	Screw type	2 pole, 2 way switch; 1 modules with rocker cover, anthracite
N4002N*	16A 127/250V~	2	Screw type	2 pole, 2 way switch; 1 modules with rocker cover, white
NT4002N*	16A 127/250V~	2	Screw type	2 pole, 2 way switch; 1 modules with rocker cover, aluminium (TECH)
L4054	16A 127/250V~	7	Screw type	2 pole, 2 way reversing switch; 1 module, axial version, anthracite
N4054	16A 127/250V~	7	Screw type	2 pole, 2 way reversing switch; 1 module, axial version, white
NT4054	16A 127/250V~	7	Screw type	2 pole, 2 way reversing switch; 1 module, axial version, aluminium (TECH)
L4051A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, anthracite, axial version
N4051A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, white, axial version

Reference	Rated Current/voltage	Pattern	Terminal	Description
NT4051A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, aluminium (TECH), axial version
L4051M2A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 2 modules, anthracite, axial version
N4051M2A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 2 modules, white, axial version
NT4051M2A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 2 modules, aluminium (TECH), axial version
L4053A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module with key, anthracite, axial version
N4053A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module with key, white, axial version
NT4053A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module with key, aluminium (TECH), axial version
L4053M2A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 2 modules anthracite, axial version
N4053M2A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 2 modules, white, axial version
NT4053M2A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 2 modules, , aluminium (TECH), axial version
L4001A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, with rocker cover, anthracite, axial version
N4001A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, with rocker cover, white, axial version
NT4001A	16A 127/250V~	1	Screwless	1 pole, 1 way switch, 1 module, with rocker cover, aluminium (TECH), axial version
L4003A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module, with rocker cover, anthracite, axial version
N4003A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module, with rocker cover, white, axial version
NT4003A	16A 127/250V~	6	Screwless	1 pole, 2 way switch; 1 module, with rocker cover, aluminium (TECH), axial version

Complementary accessories:

Pre-wired LED for rocker switches:

LN4742V230: 230 V~; amber colour

LN4742V12: 12V/24V; amber colour

Pre-wired LED for axial switches

LN4743V230: 230 V~; amber colour

LN4743V12: 12V/24V; amber colour

Various accessories :

Description of the accessories Series LIVING LIGHT					
Type of accessory	Series	Type ref.	Model / Cat. Ref.	Description of accessories	N° of modules
Supporting frames	LIVING LIGHT	LN4702G	LN4702G	For round boxes, with claws	2
		LN4702	LN4702	For round and square boxes, modular	2
		LN4703	LN4703	For rectangular boxes	3
		LN4704	LN4704	For rectangular boxes	4
		LN4707	LN4707	For rectangular boxes	7
		LN4726	LN4726	For rectangular boxes	3+3
		LN4719	LN4719	For rectangular boxes	2
		LN4719G	LN4719G	For round boxes, with claws	2
Supporting frames	LIVING LIGHT AIR	LN4702C	LN4702C	For round and square boxes, modular	2
		LN4703C	LN4703C	For rectangular boxes	3
		LN4704C	LN4704C	For rectangular boxes	4
		LN4707C	LN4707C	For rectangular boxes	7
		LN4726C	LN4726C	For rectangular boxes	3+3
		LN4702E	LN4702E	For round and square boxes, modular	2
Cover plates Square	LIVING LIGHT	LNA4802XXX	LNA4802XXX	For round and square boxes	2
		LNA4803XXX	LNA4803XXX	For rectangular boxes	3
		LNA4804XXX	LNA4804XXX	For rectangular boxes	4
		LNA4807XXX	LNA4807XXX	For rectangular boxes	7
		LNA4826XXX	LNA4826XXX	For rectangular boxes	3+3
		LNA4819XXX	LNA4819XXX	For round, square, rectangular boxes (#)	2
		LNA4802M2XXX	LNA4802M2XXX	For round and square boxes axle 71mm	2+2
		LNA4802M3XXX	LNA4802M3XXX	For round and square boxes axle 71mm	2+2+2
		LNA4802M4XXX	LNA4802M4XXX	For round and square boxes axle 71mm	2+2+2+2
		LNA4832M2XXX	LNA4832M2XXX	For round and square boxes axle 57mm	2+2
		LNA4832M3XXX	LNA4832M3XXX	For round and square boxes axle 57mm	2+2+2
Cover plates Round	LIVING LIGHT	LNB4802XXX	LNB4802XXX	For round and square boxes	2
		LNB4803XXX	LNB4803XXX	For rectangular boxes	3
		LNB4804XXX	LNB4804XXX	For rectangular boxes	4
		LNB4807XXX	LNB4807XXX	For rectangular boxes	7
		LNB4826XXX	LNB4826XXX	For rectangular boxes	3+3
		LNB4802M2XXX	LNB4802M2XXX	For round and square boxes axle 71mm	2+2
		LNB4802M3XXX	LNB4802M3XXX	For round and square boxes axle 71mm	2+2+2
		LNB4802M4XXX	LNB4802M4XXX	For round and square boxes axle 71mm	2+2+2+2
		LNB4832M2XXX	LNB4832M2XXX	For round and square boxes axle 57mm	2+2
		LNB4832M3XXX	LNB4832M3XXX	For round and square boxes axle 57mm	2+2+2
Cover plates Square	LIVING LIGHT AIR	LNC4802XXX	LNC4802XXX	For round and square boxes	2
		LNC4803XXX	LNC4803XXX	For rectangular boxes	3
		LNC4804XXX	LNC4804XXX	For rectangular boxes	4
		LNC4807XXX	LNC4807XXX	For rectangular boxes	7
		LNC4826XXX	LNC4826XXX	For rectangular boxes	3+3
Cover plates Square	LIVING LIGHT AIR	LNE4802M2XXX	LNE4802M2XXX	For round and square boxes axle 71mm	2+2
		LNE4802M3XXX	LNE4802M3XXX	For round and square boxes axle 71mm	2+2+2
		LNE4802XXX	LNE4802XXX	For round and square boxes axle 71mm	2
				Prewired signal led lamp for rocker and axial switches:	
Complementary accessories	LIVING LIGHT	LN4742V230	LN4742V230	230 V ~ ; amber colour	—
		LN4742V12	LN4742V12	12/24V ~ ; amber colour	—
Complementary accessories	LIVING LIGHT	LN4743V230	LN4743V230	230 V ~ ; amber colour	—
		LN4743V12	LN4743V12	12/24V ~ ; amber colour	—

Description of the accessories Series LIVING LIGHT					
Type of accessory	Series	Type ref.	Model / Cat. Ref.	Description of accessories	N° of modules
Complementary accessories (for rocker switches)	LIVING LIGHT	L4915N	L4915N	Rocker cover anthracite	1
		L4915M2N	L4915M2N	Rocker cover anthracite	2
		L4915M3N	L4915M3N	Rocker cover anthracite	3
		N4915N	N4915N	Rocker cover white	1
		N4915M2N	N4915M2N	Rocker cover white	2
		N4915M3N	N4915M3N	Rocker cover white	3
		NT4915N	NT4915N	Rocker cover aluminium (TECH)	1
		NT4915M2N	NT4915M2N	Rocker cover aluminium (TECH)	2
		NT4915M3N	NT4915M3N	Rocker cover aluminium (TECH)	3
		N4915LN	N4915LN	Rocker cover white, high brightness	1
		N4915M2LN	N4915M2LN	Rocker cover white, high brightness	2
		N4915M3LN	N4915M3LN	Rocker cover white, high brightness	3
		L4915*	L4915*	Rocker cover anthracite with symbols	1
		L4915M2*	L4915M2*	Rocker cover anthracite with symbols	2
Complementary accessories (for axial switches)	LIVING LIGHT	N4915*	N4915*	Rocker cover white with symbols	1
		N4915M2*	N4915M2*	Rocker cover white with symbols	2
		NT4915*	NT4915*	Rocker cover aluminium (TECH) with symbols	1
		NT4915M2*	NT4915M2*	Rocker cover aluminium (TECH) with symbols	2
		L4916**	L4916**	Key cover anthracite with symbols	1
		L4916M2A**	L4916M2**	Key cover anthracite with symbols	2
		N4916**	N4916**	Key cover white with symbols	1
		N4916M2**	N4916M2**	Key cover white with symbols	2
		NT4916**	NT4916**	Key cover aluminium (TECH) with symbols	1
		NT4916M2**	NT4916M2**	Key cover aluminium (TECH) with symbols	2
		L4916T	L4916T	Key cover anthracite customizable with lens	1
		L4916M2T	L4916M2T	Key cover anthracite customizable with lens	2
		N4916T	N4916T	Key cover white customizable with lens	1
		N4916M2T	N4916M2T	Key cover white customizable with lens	2
		NT4916T	NT4916T	Key cover aluminium (TECH) customizable with lens	1
		NT4916M2T	NT4916M2T	Key cover aluminium (TECH) customizable with lens	2
		L4916KIT	L4916KIT	Lens for axial switches.	-
		N4916KIT	N4916KIT		-
		NT4916KIT	NT4916KIT		-

XXX = finishing for cover plates.

* The article may be completed with the following letter (AN, BN, DN, FN, ADN, DD, MR) which determine the different symbols (Light, stair light, bell, key, dimmer, do not disturb, waiter).

** The article may be completed with the following letter (A, B, D, F) which determine the different symbols. (Light, stair light, bell, key).

The cover plates article LNA4819XXX, when are installed with support frame LN4719, are suitable for rectangular boxes, when are installed with support frame LN4719G, are suitable for round and square boxes.

Square cover plates finishing (XXX)	
METALS:	NATURALIA:
OA (Cold gold)	NA (Native)
BZ (Bronze)	AG (Silver)
NS (Nickel)	ACS (Brushed steel)
AC (Steel)	
GL (Silver moon)	
SILK:	DEEP:
PK (Park)	VD (Green)
SQ (Square)	OD (Orange)
RK (Brick)	AD (Light blue)
AE (Avenue)	
CB (Club)	
KRISTALL:	NEUTRAL:
KF (London smoke)	AR (Anthracite)
KA (Sea water)	BI (White)
KG (Ice grey)	TE (Tech)
ESSENCES:	
LCA (American cherry)	
LBA (Bambú)	
LNC (National walnut)	

Round cover plates finishing (XXX)	
METALS:	NATURALIA:
OC (Gold)	GF (Graphite)
AC (Steel)	MA (Marrakesh)
TC (Titanium)	CO (Cordoba)
CR (Chrome)	SI (Siena)
GLOSSY:	TWIN:
GP (Grape)	TW (Brown)
CT (Citron)	TS (Sky)
SS (Sunset)	TB (Bronze)
CLASSY:	NEUTRAL:
SM (Smoking)	AR (Anthracite)
CL (Colonial)	BI (White)
TG (Tight)	TE (Tech)
ESSENCES:	
LCA (American cherry)	
LAE (Maple)	
LRW (Dark dumast)	

AIR cover plates finishing (XXX)	
DECORS:	LUCENT:
RM (Ramage)	PT (Pewter)
GK (Greek)	PL (Palladium)
NE (Net)	OF (Satin gold)
SP (Stripes)	NK (Satin nickel)
NEUTRAL:	
NL (Lava)	
PR (White pearl)	
GL (Moon silver)	